

Low-power Intelligent WIFI Camera Specification





Technical Specifications

- ♣ Come and join us with affordable, wireless complete home security with Tuya cameras
- ♣ Tuya platform is a fast-track to dominating Smart Home Market and we manufacture the cameras
- ♣ Remotely control home appliances from anywhere

| Specification | | |
|----------------------|--|--|
| Model NO. | T08 | |
| Product Name | Low-power Intelligent WIFI Camera | |
| Chippest | T21Z | |
| WIFI | MT7682 · WIFI 2.4GHz · IEEE802.11b/g/n | |
| PIR Distance | 10 meters | |
| SD Card Storage | Support Max 128G | |
| LED | 850/940nm IR LEDoptional,10 meters IR Distance | |
| Indicator Light | Blue,Red | |
| Button | Reset Button; ON/OFF Power Switch Button | |
| Distribution network | QR Code | |



Email: sales@foresight-systech.com www.foresight-systech.com

| Add Device Methods | | Add intelligently/AP Mode/Add by being shared | |
|-------------------------|--------------------------|--|--|
| Video Recording | | TF card recording, support mobile phone local recording,,Cloud recording | |
| Recording Mode | | Event recording/Continuous recording | |
| Push Massage | | Push in 1s | |
| Motion Detection | | PIR motion detection, high sensitivity / medium / low level adjustable | |
| Image Sensor | Sensor | F23 | |
| | Resolution | 1920*1080 | |
| | Size | 1/2.9" | |
| Lens | Focal Length | 3.6MM | |
| | Aperture | F2.4 | |
| | Perspective | Diagonal 135° | |
| Audio | Horn | 8Ω/1W | |
| | MIC | Support, sound capture distance > 3 meters | |
| | Intercom | Two-way voice intercom | |
| | Echo cancellation | Own echo cancellation | |
| | Howling | Howling suppression | |
| Wake-up | Wake-up Method | Mobile phone remote wakeup, PIR detection wake up | |
| | Wake up time | <500ms | |
| Power | Battery Powered | 5200mAh rechargeable lithium batteries | |
| | External Power Supply | Micro USB Port(DC5.0V) | |
| | Working Current | 260mA/3.7V | |
| | Standby Current | 200uA/3.7V | |
| | Standby | 6 months | |
| | USB Charge | 6 hours full charge | |
| Function | | | |
| Intelligent Detection | | Self-owned intelligent detection algorithm to effectively reduce false positives | |



| Ultra low power consumption | Intelligent power saving, long standby, 5200mAh original 18650 battery, normal use 8-12 months |
|-----------------------------|---|
| Simple Distribution Network | Device configuration in just 2 steps |
| Quick Response | Wake up to see images up to 3 seconds, message push within 1 second |
| Remote Transmission | Opening space up to 100m, with obstacle up to 30m high quality image |
| Super Push Massage | The industry's first company can still receive news pushes when APP exits the background, solving the industry's pain points on the market. |
| Others | Two-way voice intercom, SD card video query, Cloud recording query, device sharing, device transfer, APP online update device firmware |
| General | |
| Operating Temperature | "-10~+60 °C |
| Storage Temperature | "-20~+70 °C |
| Mobile APP | TuyaSmart/SmartLife |

Accessory

- 18650 Battery * 2
 - Mounting Bracket * 1
 - Screws + Reset Needle + Cable
 - User Manual * 1

Camera

1. Unit Weight: 0.38KG

2、Gift Box Size: 14.8*8.5*9cm

Carton Box





1. Carton Dimmension: 44*31*46.5cm

2. Quantity: 50pcs/carton

3、G.W: 20kg/carton

